

## TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
<b>CHAPTER 16 TECHNICAL SPECIFICATIONS</b>		
16.1	<b>TECHNICAL SPECIFICATIONS.....</b>	<b>16.1-1</b>
	16.1.1   Introduction to Technical Specifications.....	16.1-1
	16.1.2   References.....	16.1-2
	1.0   Use and Application.....	1.1-1
	1.1   Definitions .....	1.1-1
	1.2   Logical Connectors .....	1.2-1
	1.3   Completion Times .....	1.3-1
	1.4   Frequency .....	1.4-1
	2.0   Safety Limits (SLs) .....	2.0-1
	2.1   SLs.....	2.0-1
	2.2   SL Violations .....	2.0-1
	3.0   Limiting Conditions for Operation (LCO) Applicability.....	3.0-1
	3.0   Surveillance Requirement (SR) Applicability .....	3.0-4
	3.1   Reactivity Control Systems .....	3.1.1-1
	3.1.1   Shutdown Margin (SDM) .....	3.1.1-1
	3.1.2   Core Reactivity .....	3.1.2-1
	3.1.3   Moderator Temperature Coefficient (MTC) .....	3.1.3-1
	3.1.4   Rod Group Alignment Limits .....	3.1.4-1
	3.1.5   Shutdown Bank Insertion Limits .....	3.1.5-1
	3.1.6   Control Bank Insertion Limits .....	3.1.6-1
	3.1.7   Rod Position Indication .....	3.1.7-1
	3.1.8   PHYSICS TESTS Exceptions – MODE 2.....	3.1.8-1
	3.1.9   Chemical and Volume Control System (CVS) Demineralized Water Isolation Valves and Makeup Line Isolation Valves .....	3.1.9-1
	3.2   Power Distribution Limits .....	3.2.1-1
	3.2.1   Heat Flux Hot Channel Factor ( $F_Q(Z)$ ) ( $F_Q$ Methodology) .....	3.2.1-1
	3.2.2   Nuclear Enthalpy Rise Hot Channel Factor ( $F_{AH}^N$ ).....	3.2.2-1
	3.2.3   AXIAL FLUX DIFFERENCE (AFD) (Relaxed Axial Offset Control (RAOC) Methodology).....	3.2.3-1
	3.2.4   QUADRANT POWER TILT RATIO (QPTR) .....	3.2.4-1
	3.2.5   OPDMS-Monitored Parameters .....	3.2.5-1
	3.3   Instrumentation .....	3.3.1-1
	3.3.1   Reactor Trip System (RTS) Instrumentation.....	3.3.1-1
	3.3.2   Engineered Safety Feature Actuation System (ESFAS) Instrumentation .....	3.3.2-1
	3.3.3   Post Accident Monitoring (PAM) Instrumentation.....	3.3.3-1
	3.3.4   Remote Shutdown Workstation (RSW).....	3.3.4-1
	3.3.5   Diverse Actuation System (DAS) Manual Controls .....	3.3.5-1

## TABLE OF CONTENTS (Cont.)

<u>Section</u>	<u>Title</u>	<u>Page</u>
3.4	Reactor Coolant System (RCS) .....	3.4.1-1
3.4.1	RCS Pressure, Temperature, and Flow Departure from Nucleate Boiling (DNB) Limits .....	3.4.1-1
3.4.2	RCS Minimum Temperature for Criticality .....	3.4.2-1
3.4.3	RCS Pressure and Temperature (P/T) Limits.....	3.4.3-1
3.4.4	RCS Loops.....	3.4.4-1
3.4.5	Pressurizer .....	3.4.5-1
3.4.6	Pressurizer Safety Valves.....	3.4.6-1
3.4.7	RCS Operational LEAKAGE .....	3.4.7-1
3.4.8	Minimum RCS Flow.....	3.4.8-1
3.4.9	RCS Leakage Detection Instrumentation .....	3.4.9-1
3.4.10	RCS Specific Activity.....	3.4.10-1
3.4.11	Automatic Depressurization System (ADS) – Operating .....	3.4.11-1
3.4.12	Automatic Depressurization System (ADS) – Shutdown, RCS Intact .....	3.4.12-1
3.4.13	Automatic Depressurization System (ADS) – Shutdown, RCS Open.....	3.4.13-1
3.4.14	Low Temperature Overpressure Protection (LTOP) System .....	3.4.14-1
3.4.15	RCS Pressure Isolation Valve (PIV) Integrity.....	3.4.15-1
3.4.16	Reactor Vessel Head Vent (RVHV) .....	3.4.16-1
3.4.17	Chemical and Volume Control System (CVS) Makeup Isolation Valves .....	3.4.17-1
3.4.18	Steam Generator (SG) Tube Integritiy .....	3.7.18-1
3.5	Passive Core Cooling System (PXS).....	3.5.1-1
3.5.1	Accumulators.....	3.5.1-1
3.5.2	Core Makeup Tanks (CMTs) – Operating .....	3.5.2-1
3.5.3	Core Makeup Tanks (CMTs) – Shutdown, RCS Intact .....	3.5.3-1
3.5.4	Passive Residual Heat Removal Heat Exchanger (PRHR HX) – Operating .....	3.5.4-1
3.5.5	Passive Residual Heat Removal Heat Exchanger (PRHR HX) – Shutdown, RCS Intact.....	3.5.5-1
3.5.6	In-containment Refueling Water Storage Tank (IRWST) – Operating .....	3.5.6-1
3.5.7	In-containment Refueling Water Storage Tank (IRWST) – Shutdown, MODE 5 .....	3.5.7-1
3.5.8	In-containment Refueling Water Storage Tank (IRWST) – Shutdown, MODE 6 .....	3.5.8-1
3.6	Containment Systems .....	3.6.1-1
3.6.1	Containment.....	3.6.1-1
3.6.2	Containment Air Locks.....	3.6.2-1
3.6.3	Containment Isolation Valves .....	3.6.3-1

## TABLE OF CONTENTS (Cont.)

<u>Section</u>	<u>Title</u>	<u>Page</u>
3.6.4	Containment Pressure .....	3.6.4-1
3.6.5	Containment Air Temperature .....	3.6.5-1
3.6.6	Passive Containment Cooling System (PCS) – Operating .....	3.6.6-1
3.6.7	Passive Containment Cooling System (PCS) – Shutdown.....	3.6.7-1
3.6.8	Containment Penetrations .....	3.6.8-1
3.6.9	pH Adjustment.....	3.6.9-1
3.7	<b>Plant Systems .....</b>	<b>3.7.1-1</b>
3.7.1	Main Steam Safety Valves (MSSVs).....	3.7.1-1
3.7.2	Main Steam Isolation Valves (MSIVs) .....	3.7.2-1
3.7.3	Main Feedwater Isolation and Control Valves (MFIVs and MFCVs) .....	3.7.3-1
3.7.4	Secondary Specific Activity.....	3.7.4-1
3.7.5	Spent Fuel Pool Water Level .....	3.7.5-1
3.7.6	Main Control Room Habitability System (VES).....	3.7.6-1
3.7.7	Startup Feedwater Isolation and Control Valves.....	3.7.7-1
3.7.8	Main Steam Line Leakage .....	3.7.8-1
3.7.9	Fuel Storage Pool Makeup Water Sources.....	3.7.9-1
3.7.10	Steam Generator Isolation Valves.....	3.7.10-1
3.7.11	Fuel Storage Pool Boron Concentration .....	3.7.11-1
3.7.12	Spent Fuel Pool Storage.....	3.7.12-1
3.8	<b>Electrical Power Systems .....</b>	<b>3.8.1-1</b>
3.8.1	DC Sources – Operating .....	3.8.1-1
3.8.2	DC Sources – Shutdown .....	3.8.2-1
3.8.3	Inverters – Operating .....	3.8.3-1
3.8.4	Inverters – Shutdown .....	3.8.4-1
3.8.5	Distribution Systems – Operating .....	3.8.5-1
3.8.6	Distribution Systems – Shutdown .....	3.8.6-1
3.8.7	Battery Parameters .....	3.8.7-1
3.9	<b>Refueling Operations .....</b>	<b>3.9.1-1</b>
3.9.1	Boron Concentration.....	3.9.1-1
3.9.2	Unborated Water Source Flow Paths .....	3.9.2-1
3.9.3	Nuclear Instrumentation.....	3.9.3-1
3.9.4	Refueling Cavity Water Level .....	3.9.4-1
3.9.5	Containment Penetrations .....	3.9.5-1
3.9.6	Containment Air Filtration System (VFS) .....	3.9.6-1
3.9.7	Decay Time.....	3.9.7-1
4.0	<b>Design Features.....</b>	<b>4.0-1</b>
4.1	<b>Site.....</b>	<b>4.0-1</b>
4.1.1	Site and Exclusion Boundaries.....	4.0-1
4.1.2	Low Population Zone (LPZ).....	4.0-1

## TABLE OF CONTENTS (Cont.)

<u>Section</u>	<u>Title</u>	<u>Page</u>
4.2	Reactor Core .....	4.0-1
4.2.1	Fuel Assemblies .....	4.0-1
4.2.2	Control Rod and Gray Rod Assemblies.....	4.0-1
4.3	Fuel Storage.....	4.0-2
4.3.1	Criticality.....	4.0-2
4.3.2	Drainage .....	4.0-2
4.3.3	Capacity.....	4.0-2
5.0	Administrative Controls .....	5.1-1
5.1	Responsibility .....	5.1-1
5.2	Organization .....	5.2-1
5.3	Unit Staff Qualifications .....	5.3-1
5.4	Procedures .....	5.4-1
5.5	Programs and Manuals.....	5.5-1
5.6	Reporting Requirements .....	5.6-1
5.7	High Radiation Area.....	5.7-1
B 2.0	Safety Limits (SLs) .....	B 2.1.1-1
	B 2.1.1 Reactor Core Safety Limits (SLs) .....	B 2.1.1-1
	B 2.1.2 Reactor Coolant System (RCS) Pressure SL.....	B 2.1.2-1
B 3.0	Limiting Conditions for Operation (LCO) Applicability .....	B 3.0-1
B 3.0	Surveillance Requirement (SR) Applicability.....	B 3.0-13
	B 3.1 Reactivity Control Systems.....	B 3.1.1-1
	B 3.1.1 SHUTDOWN MARGIN (SDM) .....	B 3.1.1-1
	B 3.1.2 Core Reactivity.....	B 3.1.2-1
	B 3.1.3 Moderator Temperature Coefficient (MTC).....	B 3.1.3-1
	B 3.1.4 Rod Group Alignment Limits .....	B 3.1.4-1
	B 3.1.5 Shutdown Bank Insertion Limits.....	B 3.1.5-1
	B 3.1.6 Control Bank Insertion Limits.....	B 3.1.6-1
	B 3.1.7 Rod Position Indication.....	B 3.1.7-1
	B 3.1.8 PHYSICS TESTS Exceptions – MODE 2 .....	B 3.1.8-1
	B 3.1.9 Chemical and Volume Control System (CVS) Demineralized Water Isolation Valves and Makeup Line Isolation Valves .....	B 3.1.9-1
	B 3.2 Power Distribution Limits.....	B 3.2.1-1
	B 3.2.1 Heat Flux Hot Channel Factor ( $F_Q(Z)$ ) ( $F_Q$ Methodology) .....	B 3.2.1-1
	B 3.2.2 Nuclear Enthalpy Rise Hot Channel Factor ( $F_{\Delta H}^N$ ) .....	B 3.2.2-1
	B 3.2.3 AXIAL FLUX DIFFERENCE (AFD) (Relaxed Axial Offset Control (RAOC) Methodology) .....	B 3.2.3-1
	B 3.2.4 QUADRANT POWER TILT RATIO (QPTR)..	B 3.2.4-1
	B 3.2.5 OPDMS-Monitored Parameters .....	B 3.2.5-1

## TABLE OF CONTENTS (Cont.)

<u>Section</u>	<u>Title</u>	<u>Page</u>
B 3.3	Instrumentation .....	B 3.3.1-1
B 3.3.1	Reactor Trip System (RTS) Instrumentation.....	B 3.3.1-1
B 3.3.2	Engineered Safety Feature Actuation System (ESFAS) Instrumentation.....	B 3.3.2-1
B 3.3.3	Post Accident Monitoring (PAM) Instrumentation .....	B 3.3.3-1
B 3.3.4	Remote Shutdown Workstation (RSW) .....	B 3.3.4-1
B 3.3.5	Diverse Actuation System (DAS) Manual Controls.....	B 3.3.5-1
B 3.4	Reactor Coolant System (RCS).....	B 3.4.1-1
B 3.4.1	RCS Pressure, Temperature, and Flow Departure from Nucleate Boiling (DNB) Limits	B 3.4.1-1
B 3.4.2	RCS Minimum Temperature for Criticality .....	B 3.4.2-1
B 3.4.3	RCS Pressure and Temperature (P/T) Limits.....	B 3.4.3-1
B 3.4.4	RCS Loops.....	B 3.4.4-1
B 3.4.5	Pressurizer.....	B 3.4.5-1
B 3.4.6	Pressurizer Safety Valves.....	B 3.4.6-1
B 3.4.7	RCS Operational LEAKAGE .....	B 3.4.7-1
B 3.4.8	Minimum RCS Flow .....	B 3.4.8-1
B 3.4.9	RCS Leakage Detection Instrumentation .....	B 3.4.9-1
B 3.4.10	RCS Specific Activity .....	B 3.4.10-1
B 3.4.11	Automatic Depressurization System (ADS) – Operating .....	B 3.4.11-1
B 3.4.12	Automatic Depressurization System (ADS) – Shutdown, RCS Intact.....	B 3.4.12-1
B 3.4.13	Automatic Depressurization System (ADS) – Shutdown, RCS Open .....	B 3.4.13-1
B 3.4.14	Low Temperature Overpressure Protection (LTOP) System .....	B 3.4.14-1
B 3.4.15	RCS Pressure Isolation Valve (PIV) Integrity..	B 3.4.15-1
B 3.4.16	Reactor Vessel Head Vent (RVHV).....	B 3.4.16-1
B 3.4.17	Chemical and Volume Control System (CVS) Makeup Isolation Valves.....	B 3.4.17-1
B 3.4.18	Steam Generator (SG) Tube Integrity .....	B 3.4.18-1
B 3.5	Passive Core Cooling System (PXS) .....	B 3.5.1-1
B 3.5.1	Accumulators .....	B 3.5.1-1
B 3.5.2	Core Makeup Tanks (CMTs) – Operating .....	B 3.5.2-1
B 3.5.3	Core Makeup Tanks (CMTs) – Shutdown, RCS Intact .....	B 3.5.3-1
B 3.5.4	Passive Residual Heat Removal Heat Exchanger (PRHR HX) – Operating .....	B 3.5.4-1
B 3.5.5	Passive Residual Heat Removal Heat Exchanger (PRHR HX) – Shutdown, RCS Intact .....	B 3.5.5-1

## TABLE OF CONTENTS (Cont.)

<u>Section</u>	<u>Title</u>	<u>Page</u>
B 3.5.6	In-containment Refueling Water Storage Tank (IRWST) – Operating .....	B 3.5.6-1
B 3.5.7	In-containment Refueling Water Storage Tank (IRWST) – Shutdown, MODE 5 .....	B 3.5.7-1
B 3.5.8	In-containment Refueling Water Storage Tank (IRWST) – Shutdown, MODE 6 .....	B 3.5.8-1
<b>B 3.6</b>	<b>Containment Systems.....</b>	<b>B 3.6.1-1</b>
B 3.6.1	Containment.....	B 3.6.1-1
B 3.6.2	Containment Air Locks .....	B 3.6.2-1
B 3.6.3	Containment Isolation Valves .....	B 3.6.3-1
B 3.6.4	Containment Pressure.....	B 3.6.4-1
B 3.6.5	Containment Air Temperature .....	B 3.6.5-1
B 3.6.6	Passive Containment Cooling System (PCS) – Operating.....	B 3.6.6-1
B 3.6.7	Passive Containment Cooling System (PCS) – Shutdown .....	B 3.6.7-1
B 3.6.8	Containment Penetrations .....	B 3.6.8-1
B 3.6.9	pH Adjustment.....	B 3.6.9-1
<b>B 3.7</b>	<b>Plant Systems.....</b>	<b>B 3.7.1-1</b>
B 3.7.1	Main Steam Safety Valves (MSSVs) .....	B 3.7.1-1
B 3.7.2	Main Steam Isolation Valves (MSIVs) .....	B 3.7.2-1
B 3.7.3	Main Feedwater Isolation and Control Valves (MFIVs and MFCVs).....	B 3.7.3-1
B 3.7.4	Secondary Specific Activity .....	B 3.7.4-1
B 3.7.5	Spent Fuel Pool Water Level .....	B 3.7.5-1
B 3.7.6	Main Control Room Emergency Habitability System (VES).....	B 3.7.6-1
B 3.7.7	Startup Feedwater Isolation and Control Valves .....	B 3.7.7-1
B 3.7.8	Main Steam Line Leakage.....	B 3.7.8-1
B 3.7.9	Fuel Storage Pool Makeup Water Sources.....	B 3.7.9-1
B 3.7.10	Steam Generator Isolation Valves .....	B 3.7.10-1
B 3.7.11	Fuel Storage Pool Boron Concentration.....	B 3.7.11-1
B 3.7.12	Spent Fuel Pool Storage .....	B 3.7.12-1
<b>B 3.8</b>	<b>Electrical Power Systems.....</b>	<b>B 3.8.1-1</b>
B 3.8.1	DC Sources – Operating .....	B 3.8.1-1
B 3.8.2	DC Sources – Shutdown .....	B 3.8.2-1
B 3.8.3	Inverters – Operating.....	B 3.8.3-1
B 3.8.4	Inverters – Shutdown .....	B 3.8.4-1
B 3.8.5	Distribution Systems – Operating .....	B 3.8.5-1
B 3.8.6	Distribution Systems – Shutdown .....	B 3.8.6-1
B 3.8.7	Battery Parameters .....	B 3.8.7-1

**TABLE OF CONTENTS (Cont.)**

<u>Section</u>	<u>Title</u>	<u>Page</u>
B 3.9 Refueling Operations .....	B 3.9.1-1	
B 3.9.1 Boron Concentration.....	B 3.9.1-1	
B 3.9.2 Unborated Water Source Flow Paths .....	B 3.9.2-1	
B 3.9.3 Nuclear Instrumentation .....	B 3.9.3-1	
B 3.9.4 Refueling Cavity Water Level.....	B 3.9.4-1	
B 3.9.5 Containment Penetrations .....	B 3.9.5-1	
B 3.9.6 Containment Air Filtration System (VFS).....	B 3.9.6-1	
B 3.9.7 Decay Time .....	B 3.9.7-1	
16.2 DESIGN RELIABILITY ASSURANCE PROGRAM .....	16.2-1	
16.3 INVESTMENT PROTECTION .....	16.3-1	
16.3.1 Investment Protection Short-Term Availability Controls.....	16.3-1	
16.3.2 Combined License Information.....	16.3-2	

**LIST OF TABLES**

<b><u>Table No.</u></b>	<b><u>Title</u></b>	<b><u>Page</u></b>
16.3-1	List of Investment Protection Short-Term Availability Controls.....	16.3-4
16.3-2	Investment Protection Short-Term Availability Controls .....	16.3-5